The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed $\underline{0.0028}$ cubic feet per second, \underline{but} not to exceed $\underline{2.0}$ acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 24, 2001

Proof of completion of work shall be filed before: September 24, 2001

Water must be placed to beneficial use on or before:

August 24, 2003

Proof of the application of water to beneficial use shall be filed on or before: **September 24, 2003**

Map in support of proof of beneficial use shall be filed on or before: $\ensuremath{\mathbf{N/A}}$


IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 24th day of, August A.D. 2000

State Engineer

Completion of work filed	OCT 0.3 2001	
Proof of beneficial use fi	led	
Cultural map filed	N/A	<u></u>
Certificate No.	Issued	



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	DEC 13 1999	
Returned to applicant for correction	DEC 30 1999	·
Corrected application filed	JAN 13 2000	·
Map filed	DEC 13 1999	10.00

The applicant Ellen M. Spears hereby makes application for permission to change the Point of Diversion and Place of Use of water heretofore appropriated under Permit 63211

- 1. The source of water is **Underground source**
- 2. The amount of water to be changed 0.0028 C.F.S. 2.0 acre feet
- 3. The water to be used for Quasi-Municipal Purposes
- 4. The water heretofore permitted for Quasi-Municipal Purposes
- 5. The water is to be diverted at the following point Within the Northeast quarter (NE½) of the Northwest quarter (NW½) of Section 27, T22S, R60E, M.D.M. from which the North one-quarter (N½) corner of said Section 27, T22S, R60E MDM, bears North 66° 37' 00" East a distance of 551.0 feet.
- 6. The existing permitted point of diversion is located within The Northeast quarter (NE¼) of the Northwest quarter (NW¼) of Section 24, T22S, R59E, MDM, from which the North one-quarter (N¼) of said Section 24, T22S, R59E, MDM bears North 55° 39' 56" East, a distance of 721.0 feet.
- 7. Proposed place of use Portion of the Northwest quarter (NW1/4) of the Northeast quarter (NE1/4) of the Northeast quarter (NE1/4) of the North-west quarter (NW1/4) Section 27, T22S, R60E, MDM, 1.94 acres more or less
- 8. Existing place of use West half (W½) of the Northeast quarter (NE¼) of the Northeast quarter (NE¼) of the Northwest quarter (NW¼) of Section 24, T22S, R59E, MDM.
- 9. Use will be from January 1st to December 31st of each year.
- 10. Use was permitted from January 1st to December 31st of each year.
- 11. Description of proposed works Install 5HP submersible pump, piping, wiring totalizing meter, pressure tanks, booster pump and storage tank
- 12. Estimated cost of works 12,000±
- 13. Estimated time required to construct works Existing 6 inch steel cased well.
- 14. Estimated time required to complete the application of water to beneficial use 5 years

65714 Page 2 of 3

15. Remarks: Well to serve two residences.

By Fulstone Enterprises, Inc. s/ Robert Fulstone Agent 940 So. Martin L. King Blvd. Las Vegas, NV 89106

Compared gkl/ bk	hf/cmf	
Protested		

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do

hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 63211 is issued subject to the terms and conditions imposed in said Permit 63211 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements

that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)